



**AIR RIFLES**



**KRAL ARMS**

[www.kralarms.com](http://www.kralarms.com)





Kral Arms  
Difference

“  
RELIABILITY  
EXPERTISE  
PRECISION  
”

Only the highest and most advanced technologies

- 18.000 M²  
entegrated facility
- more than 250  
expert in the field
- Over 100  
impeccable product with craftsmanship and highest technology

- Over 70  
countries of importers
- All in One  
facility for metal, wood, polymer injection and assembly  
process and production
- 24  
licenced brand and technology

About Us

KRAL ARMS produces shotguns, air rifles and blank pistols in 18.000 square meter production facilities with more than 250 people. We use the highest technology with manual labor to offer you the best quality.

The production within the border of KRAL includes, machining of wood, machining of metal parts, injection molding, metal injection, mold making, welding, engraving, barrel drilling & barrel manufacturing, laser marking, laser engraving on wood & metal parts, camouflage coating, assembly, quality assurance testing, test shooting, etc.

KRAL ARMS is an export oriented factory and exports 99,5% of its products to more than 70 countries around the world. KRAL ARMS products with their very good quality and competitive prices receive a very well acceptance all around the world. KRAL ARMS is enough able to and has background to produce any type gun in house. Our mission is to product the better to cheaper. Like for the last 26 years, as long as the world exists, we will continue to serve for you.

# PUNCH HINO EIR

## INDEX



**PCP Puncher Series**  
13-46



**N Series**  
47-54



**Accessories**  
55-57




# KRAL ARMS

## EXPERIENCE THE DIFFERENCE

We know, what an air rifle shooter wants.  
With an experience of years, unique designs and  
engineering, Kral Arms gives you the comfort of  
Shooting..

ICON NAVIGATOR



# IMPERIUM

# PUNCHER



IMPERIUM FDE



IMPERIUM BLACK



IMPERIUM GRAY

## DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 250 cc volume aluminum air tank.
- Full Shrouded barrel.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 11-22 mm MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in Aleminium receiver stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- Scope is optional
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22- 1.175 grain // .25 - 1.645 grain)

NEW



11-22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



SIDE LEVER SYSTEM

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	20.8" / 53 cm	900 fps / 21 Joules 900 fps / 44 Joules 820 fps / 52 Joules	250 Bar / 3600 Psi 250 cc	26.5" / 67 cm	13.7" / 35 cm	Aluminium Stock	3.20 kg / 7.05 Lbs	4.5mm/168 Shots 5.5mm/144 Shots 6.35mm/120 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

MORTAL

PUNCHER



MORTAL - FDE

DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 200 cc volume aluminum air tank..
- With 200 cc air tan – Shooting capacity from 200 bar to 50 bar up to 70 shots in cal .177 // 60 shots in cal .22 // 50 shots in cal .25
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 – Stage (back&forward) moveable tactical stock.
- Foldable Stock.
- The 22-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can

- easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- Scope is optional
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



5-STAGE ADJ. STOCK



22MM MILSPEC PICATINNY



SHROUDED BARREL



ADJUSTABLE POWER



SIDE LEVER SYSTEM

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	16.2" / 40.7 cm	850 fps / 18.3 Joules 800 fps / 35 Joules 750 fps / 42.8 Joules	200 Bar / 3600 Psi 200 cc	33.1" to 36.2" 84 to 92 cm	14.4" to 17.5" 36.5 to 44.5 cm	High Quality Synthetic Stock	3.51 kg / 7.72 Lbs	4.5mm/70 Shots 5.5mm/60 Shots 6.35mm/50 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

MORTAL X

PUNCHER



MORTAL X - FDE

DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 330 cc volume aluminum air tank..
- With 200 cc air tank – Shooting capacity from 200 bar to 50 bar up to 98 shots in cal .177 // 84 shots in cal .22 // 70 shots in cal .25
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine

- in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 – Stage (back&forward) moveable tactical stock.
- Foldable Stock.
- The 22-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.

- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- Scope is optional
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



5-STAGE ADJ. STOCK



22MM MILSPEC PICATINNY



SHROUDED BARREL



SIDE LEVER SYSTEM



ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	22.8" / 58 cm	1100 fps / 31 Joules 920 fps / 46 Joules 820 fps / 52 Joules	200 Bar / 3600 Psi 330 cc	40.2" to 42.9" 101 to 109 cm	14.4" to 17.5" 36.5 to 44.5 cm	High Quality Synthetic Stock	4.05 kg / 8.90 Lbs	4.5mm/98 Shots 5.5mm/84 Shots 6.35mm/70 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs


# SHADOW PUNCHER



SHADOW



SHADOW - F



## REGULATED

### DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 500 cc volume aluminum air tank..
- With Regulator from 250 bar to 120 bar up to 126 shots in cal .177 // 108 shots in cal .22 // 90 shots in cal .25
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 – Stage (back&forward) moveable tactical stock.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Foldable Stock.
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- Scope is optional
- \* Below power results are tested with (Cal .177 – 8.44 grain // .22-1.175 grain // .25 – 1.645 grain)

480cc Carbon Fiber Air Bottle Spare  
Carbon Fiber Tanks Are Available



SIDE WIND SYSTEM



ADJUSTABLE RUBBER



ADJUSTABLE STOCK



22MM MILSPEC  
PICATINNY



SHROUDED BARREL

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	53 cm 20.8 inç	950 fps / 23 Joule 870 fps / 42 Joule 800 fps / 49 Joule	250 Bar / 3600 Psi 500 cc	105 cm 41.3 inç	36.5 cm 14.3 inç	High Quality Synthetic	3.5 kg / 7.70 Lbs	4.5mm/126 Shots 5.5mm/108 Shots 6.35mm/90 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

NISH S

PUNCHER



DETAILS


- Side lever action, pre-charged pneumatic (PCP) air rifle.
  - Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
  - 200 Bar 280 cc volume aluminum air tank..
  - With 200 cc air tank – Shooting capacity from 200 bar to 50 bar up to 84 shots in cal .177 // 72 shots in cal .22 // 60 shots in cal .25
  - 1/2" UNF threaded muzzle for additional detachable sound moderators.
  - Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
  - The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
  - Manual trigger safety.
  - Kral-built choked, rifled barrel
  - Available in High Quality black synthetic stock.
  - \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
  - \*Maximum velocity can verify as per regional requests.
  - Scope is optional
  - \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



SIDE LEVER SYSTEM



ADJUSTABLE POWER



11x22MM MILSPEC PICATINNY

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	20.9" / 53 cm	1000 fps / 30 Joules 880 fps / 44 Joules 800 fps / 52 Joules	200 Bar / 3600 Psi 280 cc	33.1" / 100 cm	14.4" / 39.4 cm	High Quality Synthetic Stock	3.30 kg / 7.50 Lbs	4.5mm/350 Shots 5.5mm/300 Shots 6.35mm/250 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

NISH W

PUNCHER



DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
  - Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
  - 200 Bar 280 cc volume aluminum air tank..
  - With 200 cc air tank – Shooting capacity from 200 bar to 50 bar up to 84 shots in cal .177 // 72 shots in cal .22 // 60 shots in cal .25
  - 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
  - The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
  - Adjustable trigger pull weight.
  - Manual trigger safety.
  - Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
  - \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
  - \*Maximum velocity can verify as per regional requests.
  - Scope is optional
  - \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



SIDE LEVER SYSTEM



ADJUSTABLE POWER




11x22MM MILSPEC PICATINNY




4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	20.9" / 53 cm	1000 fps / 30 Joules 880 fps / 44 Joules 800 fps / 52 Joules	200 Bar / 3600 Psi 280 cc	33.1" / 100 cm	14.4" / 36.5 cm	High Quality Turkish Walnut Stock	3.65 kg / 8.04 Lbs	4.5mm/350 Shots 5.5mm/300 Shots 6.35mm/250 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

# REBORN PUNCHER



REBORN



## DETAILS



- Side lever action, & Arrow Launcher pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 330 cc volume aluminum air tank..
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- The airgun is designed to fire 20x long arrows with an inner diameter of 0.300-0.305 (7.62-7.75mm)
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- \* Below power results are tested with (Cal. .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

## ARROW LAUNCHER

WITH SPARE KIT IN BOX - YOU CAN USE PUNCHER  
REBORN BOTH AS A AIRGUN OR ARROW LAUNCHER



SIDE WIND SYSTEM



22MM MILSPEC  
PICATINNY



JACKET BARREL



ADJUSTABLE POWER


4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	55 cm 22.8 inç	200 Bar / 3000 Psi 330 cc	105 cm 41.3 inç	36.5 cm 14.3 inç	High Quality Turkish Walnut	3.60 kg / 7.90 Lbs	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs



# SUPERDUTY PUNCHER



SUPERDUTY



SO MUCH AIR !!




SIDE LEVER SYSTEM



ADJ. BUTTPAD



22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



THREE AIR TANK



ADJUSTABLE POWER

## DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 1425 cc volume aluminum air tank..
- Up to 850 shots with three air tanks (500cc+500cc+425cc) in cal .177 // 720 shots in cal .22 // 350 shots in cal .25 (From 250 bar to 100 bar)
- Externally adjustable power.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- \* Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

1425  
cc

850  
Shots

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	22.8" / 58 cm	1100 fps / 30 Joules 900 fps / 44 Joules 900 fps / 60 Joules	250 Bar / 3600 Psi 1425 cc	41.3" / 105 cm	15.7" / 40 cm	High Quality Synthetic	5.1 kg / 11.2 Lbs	4.5mm/850 Shots 5.5mm/720 Shots 6.35mm/350 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs


# JUMBO DAZZLE PUNCHER



JUMBO DAZZLE - C



JUMBO DAZZLE - S




FREE



TACTICAL FOLDABLE STOCK

WITH SPARE AIRTANK UP TO  
**350**  
Shots



SIDE LEVER SYSTEM



5-STAGE ADJ. STOCK



6-STAGE ADJ. CHEEK REST



11-22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



SPARE AIR TANK



ADJUSTABLE POWER

## DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 500cc volume detachable aluminum air tank. Another 500cc volume spare aluminum air tank is in box content.
- Up to 350 shots with two air tanks (500cc+500cc) in cal.177 // 300 shots in cal.22 // 250 shots in cal.25 (From 250 bar to 100 bar)
- Externally adjustable power.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Tactical five stage adjustable telescopic folding stock and soft rubber AR 15 pistol grip.
- Adjustable six stage cheek rest and soft rubber butt pad.
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Available in black or camouflage stock options.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- Scope is optional
- \* Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	22.8" / 58 cm	1100 fps / 30 Joules 900 fps / 44 Joules 820 fps / 52 Joules	250 Bar / 3600 Psi 500 cc	40.2" to 43.3" 102 to 110 cm	13.5" to 16.7" 35 to 42.5 cm	C: G1Camouflaged Synthetic S: Synthetic	3.7 kg / 8.15 Lbs	4.5mm/350 Shots 5.5mm/300 Shots 6.35mm/250 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs






## DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 925 cc volume aluminum air tank.
- Up to 120 shots with two air tanks (500cc+425cc) in cal .177 // 100 shots in cal .22 // 70 shots in cal .25 //70 shots in cal .30 (From 250 bar to 100 bar)
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm) and 9-shot magazine in .30 (7.62mm).
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in black synthetic & carbon camouflaged stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- Scope is optional
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 // .30 - 44.75 grain)



BIGMAX XB



HERE IS THE POWER!

# BIGMAX X PUNCHER



BIGMAX XC



SIDE LEVER SYSTEM



ADJ.BUTTPAD



22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



TWO AIR TANK



ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal 7.62 mm .30cal	34.4" / 58 cm	1300 fps / 43 Joules 1200 fps / 78 Joules 1100 fps / 92 Joules 950 fps / 122 Joules	250 Bar / 3625 Psi 925 cc	42" / 106.5 cm	14.9" / 38 cm	Carbon Camouflaged & Synthetic	44 kg / 9.70 Lbs	4.5mm /120 Shots 5.5mm /100 Shots 6.35mm /70 Shots 7.62mm /70 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs 7.62 mm / 9 Pcs



# EMPIRE PUNCHER

NEW



EMPIRE X LAMINATED/BL



EMPIRE



EMPIRE X

EMPIRE X- 2 AIR TANKS //TOTAL 600 CC



EMPIRE XS



EMPIRE X CERAKOTED/BG



EMPIRE X CERAKOTED/OG



EMPIRE CERAKOTED/BG



EMPIRE X SYNTHETIC



EMPIRE SYNTHETIC



NEW



SIDE WIND SYSTEM



ADJ. BUTTPAD



ADJUSTABLE STOCK



22MM MILSPEC  
PICATINNY



SHROUDED & SILENCED  
BARREL



RIGHT & LEFT CHANGEABLE  
COCKING LEVER

## DETAILS




- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Ergonomic Safety(Easy to use)
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in Turkish Walnut & High Quality Synthetic stock.
- Right - Left Changeable Cocking Lever
- \*Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- 3-Stage rear & forward moveable cheek rest
- Scope is optional
- \* Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

-			900 fps / 21 Joule 900 fps / 44 Joule 820 fps / 52 Joule	200 bar 3000 Psi 330 cc				3.9 kg / 8.6 Lbs	4.5mm /70 Shots 5.5mm /60 Shots 6.35mm /50 Shots	
X	4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	48 cm / 20.9"	900 fps / 21 Joule 900 fps / 44 Joule 820 fps / 52 Joule	200 bar 3000 Psi 600 cc	76 cm / 30.7"	36.5 cm / 14.3"	High Quality Turkish Walnut	3.6 kg / 7.9 Lbs	4.5mm /168 Shots 5.5mm /144 Shots 6.35mm /120 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs
XS		33 cm / 22.8"	850 fps / 19 Joule 750 fps / 31 Joule 680 fps / 36 Joule	200 bar 3000 Psi 200 cc	61 cm / 24"	36.5 cm / 14.3"		3.2 kg / 7.0 Lbs	4.5mm /56 Shots 5.5mm /48 Shots 6.35mm /40 Shots	

# BIGHORN PUNCHER



BIGHORN



## DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .22(5.5mm) .25 (6.35mm) .30 (7.62mm) and .35 (9mm) caliber.
- 250 Bar 500 cc volume aluminum air tank.
- Up to 60 shots in cal .22 // 50 shots in cal .25 // 50 shots in cal .30 // 50 shots in cal .35 (From 250 bar to 100 bar)
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 10-shot magazine in .25 (6.35mm) , 9-shot magazine in .30 (7.62mm) 7 shot magazine in cal .35(9mm).
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Available in high quality Turkish Walnut stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- Scope is optional \* Below power results are tested with (Cal .22-1.175 grain // .25 - 1.645 // .30 - 44.75 grain // .35- 81.02 grain)

**BIG  
BORE**




SIDE LEVER SYSTEM



ADJ. BUTTPAD



22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



ADJ. CHEEK REST

5.5mm .25cal 6.35mm .25cal 7.62mm .30cal 9 mm .35cal	22.8" / 58 cm	1200 fps / 80 Joules 1100 fps / 92 Joules 900 fps / 110 Joules 880 fps / 191 Joules	250 Bar / 3600 Psi 500 cc	41.3" / 105 cm	14.3" / 38 cm	High Quality Turkish Walnut	3.7 kg / 8.15 Lbs	5.5mm/60 Shots 6.35mm/50 Shots 7.62mm/50 Shots 9mm / 50 Shots	5.5 mm / 12 Pcs 6.35 mm / 10 Pcs 7.62 mm / 9 Pcs 9 mm / 7 Pcs

## NP500

NEW



NP500 CERAKOTED/BG

### DETAILS

900 FPS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 500 cc volume aluminum air tank.
- Up to 170 shots in cal .177 // 150 shots in cal .22 // 120 shots in cal .25 (From 250 bar to 100 bar)
- Externally adjustable power.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 - Stage (back&forward) moveable tactical stock.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- The 11-22 mm PICATINNY RAIL system is in

- accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- Scope is optional
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



NP500 S



NP500 CERAKOTED/BO



6-STAGE REAR & FORWARD  
MOVEABLE TACTICAL STOCK



11-22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	16" / 40.7 cm	900 fps / 21 Joules 900 fps / 44 Joules 820 fps / 52 Joules	250 Bar / 3600 Psi 500 cc	30.3" / 77 cm	14.3" / 36.5 cm	High Quality Synthetic Stock	3.2 kg / 7.0 Lbs	4.5mm/168 Shots 5.5mm/144 Shots 6.35mm/120 Shots
								4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

## PRO500



SHROUDED& SILENCER INCLUDED BARREL

### DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 500 cc volume aluminum air tank.
- Full Shrouded and silenced barrel.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)

- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut stock.

- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- Scope is optional
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

900 FPS



11-22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



SIDE LEVER SYSTEM



ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	20.8" / 53 cm	900 fps / 21 Joules 900 fps / 44 Joules 820 fps / 52 Joules	250 Bar / 3600 Psi 500 cc	41.3" / 105 cm	13.7" / 35 cm	High Quality Turkish Walnut	3.7 kg / 8.15 Lbs	4.5mm/168 Shots 5.5mm/144 Shots 6.35mm/120 Shots
								4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

# KNIGHT PUNCHER



KNIGHT CERAKOTED



KNIGHT W



KNIGHT S

## DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 500 cc volume aluminum air tank.
- Changeable calibers (between 4.5-5.5-6.35)
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- Full Shrouded barrel.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut&Synthetic stock.
- \*Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- Scope is optional
- \*Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



WRENCH



SIDE LEVER SYSTEM



ADJ. BUTTPAD




22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



ADJ. CHEEK REST



ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	22.8" / 58 cm	900 fps / 21 Joules 900 fps / 44 Joules 820 fps / 52 Joules	250 Bar / 3600 Psi 500 cc	34.4" / 87.5 cm	15.1" / 38.5 cm	W: High Quality Turkish Walnut S: Synthetic	W: 4.0 kg / 8.80 Lbs S: 3.7 kg / 8.15 Lbs	4.5mm/168 Shots 5.5mm/144 Shots 6.35mm/120 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs




# SUPER JUMBO PUNCHER



SUPER JUMBO



SUPER JUMBO S



## DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 250 Bar 500 cc volume aluminum air tank.
- Full Shrouded barrel.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut & Synthetic stock.
- Scope is optional
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- **For Synthetic Stock :**
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- \* Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



6-STAGE REAR & FORWARD  
MOVEABLE TACTICAL STOCK




SIDE LEVER SYSTEM



11-22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



ADJUSTABLE POWER

W	4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	22.8" / 53 cm	900 fps / 21 Joules 900 fps / 44 Joules 820 fps / 52 Joules	250 Bar / 3600 Psi 500 cc	41.3" / 97 cm	15.1" / 38.5 cm	High Quality Turkish Walnut	4.0 kg / 8.80 Lbs	4.5mm/168 Shots 5.5mm/144 Shots 6.35mm/120 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs
S							Synthetic	3.10 kg 6.80 Lbs		




# EKINOKS PUNCHER



EKINOKS W



EKINOKS S




## DETAILS




- Side lever action, pre-charged Semi-Auto pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- Adjustable five stage (up&down) and two cm moveable (back&-front) soft buttpad.
- Adjustable cheek piece.
- 200 Bar 425 cc volume aluminum air tank..
- Up to 42 shots in cal .177 // 36 shots in cal .22 // 30 shots in cal .25 (From 200 bar to 100 bar)
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable (up&down) and cheek piece.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

SEMI  
AUTO



SIDE LEVER SYSTEM




ADJ. BUTTPAD



22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



ADJ. CHEEK REST

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	18.9" / 48 cm	1100 fps / 31 Joules 920 fps / 47 Joules 850 fps / 55 Joules	200 Bar / 3000 Psi 425 cc	28.7" / 91 cm	14.3" / 36.5 cm	W: High Quality Turkish Walnut S: Synthetic	W: 3.95 kg / 8.70 Lbs S: 3.55 kg / 7.80 Lbs	4.5mm/42 Shots 5.5mm/36 Shots 6.35mm/30 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs


# AUTO PUNCHER



AUTO



AUTO MARINE



## DETAILS




- Side lever action, pre-charged Semi-Auto pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- Adjustable five stage (up&down) and two cm moveable (back&-front) soft buttpad.
- Adjustable cheek piece.
- 200 Bar 425 cc volume aluminum air tank..
- Up to 42 shots in cal .177 // 36 shots in cal .22 // 30 shots in cal .25 (From 200 bar to 100 bar)
- 1/2" UNF threaded muzzle for additional detachable sound mod-erators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable (up&down) and cheek piece.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

SEMI  
AUTO



SIDE LEVER SYSTEM



22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	18.9" / 48 cm	1100 fps / 31 Joules 920 fps / 47 Joules 850 fps / 55 Joules	200 Bar / 3000 Psi 425 cc	28.7" / 73 cm	14.3" / 36.5 cm	High Quality Turkish Walnut	3.5 kg / 7.70 Lbs	4.5mm/112 Shots 5.5mm/96 Shots 6.35mm/80 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs





# MONARCH PUNCHER



MONARCH



## DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 330 cc volume aluminum air tank.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- Full Shrouded barrel.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- \* Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



SIDE LEVER SYSTEM



ADJ. BUTTPAD



22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



ADJ. CHEEK REST



ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	21" / 58 cm	900 fps / 21 Joules 900 fps / 44 Joules 820 fps / 52 Joules	200 Bar / 3000 Psi 330 cc	36.4" / 92.5 cm	14.3" / 36.5 cm	High Quality Turkish Walnut	4.2 kg / 9.25 Lbs	4.5mm/84 Shots 5.5mm/72 Shots 6.35mm/60 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs



NP-01  
PUNCHER



NP01 BLACK



TACTICAL STOCK



CAMOUFLAGED SOFT TOUCH



ARMY GREEN SOFT TOUCH

DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.(Left Handed)
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 105 cc volume aluminum air tank..
- Up to 56 shots in cal .177 // 48 shots in cal .22 // 40 shots in cal .25 (From 250 bar to 100 bar)
- Externally adjustable power.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 – Stage (back&forward) moveable tactical stock.
- Adjustable five stage (up&down) and two cm moveable (back&-front) soft buttpad.
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

BOTH AIR PISTOL & AIR RIFLE OPTION IN



LEFT HANDED SIDE LEVER SYSTEM



6-STAGE REAR & FORWARD MOVEABLE TACTICAL STOCK



11x22MM MILSPEC PICATINNY



ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	10.6" / 27 cm	850 fps / 18.5 Joules 750 fps / 30.5 Joules 680 fps / 35.5 Joules	200 Bar / 2900 Psi 105 cc	17.3" / 44 cm to 19.3" / 49 cm	12.2" / 31 cm to 15.4" / 39 cm	High Quality Synthetic	1.60 kg / 3.5 Lbs 2.05 kg / 4.5 Lbs 2.4 kg / 5.3 Lbs	4.5mm/56 Shots 5.5mm/48 Shots 6.35mm/40 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

NP-02

PUNCHER



DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.(Left Handed)
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 530 cc volume aluminum air tank.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- Adjustable cheek piece.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 11x22mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can

- easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions: right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality Turkish Walnut stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	12.6" / 33 cm	850 fps / 18.50 Joules 800 fps / 35 Joules 750 fps / 40 Joules	200 Bar / 3000 Psi 530 cc	30.3" / 77 cm	16.1" / 41.3 cm	High Quality Turkish Walnut	31 kg / 6.80 Lbs	4.5mm/174 Shots 5.5mm/150 Shots 6.35mm /126 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

NEW

850 FPS



LEFT HANDED  
SIDE LEVER SYSTEM



11x22MM MILSPEC  
PICATINNY



ADJUSTABLE POWER

800 FPS



6-STAGE REAR & FORWARD  
MOVEABLE TACTICAL STOCK



11x22MM MILSPEC  
PICATINNY



FULL SHROUDED BARREL



SIDE LEVER SYSTEM



ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	16" / 40.7 cm	900 fps / 14 Joules 750 fps / 30.5 Joules 700 fps / 32 Joules	200 Bar / 3000 Psi 180 cc	30.3" / 57.2 cm to 30.3" / 62.2 cm	11.8" / 31 cm to 11.8" / 39 cm	High Quality Synthetic	3.0 kg / 6.60 Lbs	4.5mm/56 Shots 5.5mm/48 Shots 6.35mm /40 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

NP-03

PUNCHER



DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 180 cc volume aluminum air tank..
- Up to 56 shots in cal .177 // 48 shots in cal .22 // 40 shots in cal .25 (From 200 bar to 100 bar)
- Externally adjustable power.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot maga-

- zine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 – Stage (back&forward) moveable tactical stock.
- Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
- The 11-22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions: right, left, up and down.

- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)




# RAMBO PUNCHER



RAMBO



RAMBO MARINE



## DETAILS



- Pump action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 280 cc volume aluminum air tank.
- Up to 84 shots in cal .177 // 72 shots in cal .22 // 60 shots in cal .25 (From 200 bar to 50 bar)
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm).
- Adjustable 6 – Stage (back&forward) moveable tactical stock.
- Adjustable five stage (up&down) and two cm moveable (back&-front) soft buttpad.
- The 22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in High Quality black synthetic stock.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



22MM MILSPEC  
PICATINNY



PUMP ACTION SYSTEM



6-STAGE REAR & FORWARD  
MOVEABLE TACTICAL STOCK

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	20.8" / 53 cm	1100 fps / 20.5 Joules 900 fps / 44 Joules 820 fps / 51.5 Joules	200 Bar / 3000 Psi 280 cc	36" / 91.5 cm	11.8" / 30 cm	High Quality Synthetic	3.2 kg / 7.0 Lbs	4.5mm/84 Shots 5.5mm/72 Shots 6.35mm/60 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs



MEGA  
PUNCHER



MEGA



MEGA S SILENT



MEGA C SILENT



MEGA SKULL SILENT

NEW



MEGA CERAKOTED/BR




MEGA CERAKOTED/BW

DETAILS



- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 330 cc volume aluminum air tank.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 11X22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in Synthetic,Camouflage or High QualityTurkish Walnut stock.
- **For Synthetic Options ;**
  - Adjustable five stage (up&down) and two cm moveable (back&front) soft buttpad.
  - Adjustable cheek piece.
  - \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
  - \*Maximum velocity can verify as per regional requests.
  - \* Below power results are tested with (Cal .177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)



11x22MM MILSPEC  
PICATINNY



SIDE LEVER



ADJ. CHEEK REST



ADJUSTABLE POWER

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	20.8" / 53 cm	900 fps / 20.5 Joules 900 fps / 44 Joules 820 fps / 51.5 Joules	200 Bar / 3000 Psi 330 cc	41.3" / 105 cm	35.5" / 14 cm	High Quality Turkish Walnut S/C/SS: High Quality Synthetic	3.5 kg / 7.7 Lbs 4.0 kg / 8.8 Lbs	4.5mm/98 Shots 5.5mm/84 Shots 6.35mm /70 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs

# BREAKER PUNCHER



BREAKER W



BREAKER S

## DETAILS

- Side lever action, pre-charged pneumatic (PCP) air rifle.
- Available in .177 (4.5mm), .22 (5.5mm) and .25 (6.35mm) caliber.
- 200 Bar 280 cc volume aluminum air tank.
- 1/2" UNF threaded muzzle for additional detachable sound moderators.
- Detachable 14-shot magazine in .177 (4.5mm), 12-shot magazine in .22 (5.5mm) and 10-shot magazine in .25 (6.35mm)
- The 11X22 mm PICATINNY RAIL system is in accordance with the MILSPEC standards. Scope or various accessories can easily be mounted and customized.
- Adjustable trigger pull weight.
- Adjustable trigger shoe in four directions; right, left, up and down.
- Manual trigger safety.
- Kral-built choked, rifled barrel
- Available in Synthetic,Camouflage or High Quality-Turkish Walnut stock.

- **For Synthetic Options ;**
- Adjustable five stage (up&down) and two cm move-able (back&front) soft buttpad.
- Adjustable cheek piece.
- \* Velocity results may vary as much as 20% due to pellet weight, pellet shape, temperature, elevation, as well as other factors.
- \*Maximum velocity can verify as per regional requests.
- \* Below power results are tested with (Cal.177 - 8.44 grain // .22-1.175 grain // .25 - 1.645 grain)

									
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	21" / 53.5 cm	900 fps / 20.5 Joules 900 fps / 44 Joules 820 fps / 51.5 Joules	200 Bar / 3000 Psi 280 cc	28.7" / 73 cm	14.3" / 36.5 cm	W: Turkish Walnut S: Synthetic	W: 3.85 kg / 8.5 Lbs S: 3.50 kg / 7.7 Lbs	4.5mm/98 Shots 5.5mm/84 Shots 6.35mm/70 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs



BREAKER WS



BREAKER GS



BREAKER S SILENT



BREAKER S SKULL



11x22MM MILSPEC  
PICATINNY




HALF SHROUDED BARREL  
OPTION



SIDE LEVER SYSTEM



ADJ. CHEEK REST



ADJUSTABLE POWER

									
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25ca	21" / 53.5 cm	900 fps / 20.5 Joules 900 fps / 44 Joules 820 fps / 51.5 Joules	200 Bar / 3600 Psi 280 cc	28.7" / 73 cm	14.3" / 36.5 cm	WS: Turkish Walnut SL / CAMO: Synthetic	WS: 3.50 kg / 7.71 Lbs SL/CAMO: 3.30 kg / 7.27 Lbs	4.5mm/98 Shots 5.5mm/84 Shots 6.35mm/70 Shots	4.5 mm / 14 Pcs 5.5 mm / 12 Pcs 6.35 mm / 10 Pcs



N12



800 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	19" / 42.5 cm	800 fps / 16.50 Joules 550 fps / 16.50 Joules 500 fps / 19 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.0 kg / 6.60 Lbs

N13



1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.2 kg / 7.05 Lbs

N-11 BLACK



TRUGLO  
SIGHT EQUIPMENT

ARBOREAL

1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	15.5" / 39.5 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.7 kg / 8.15 Lbs

N-11 LUKS



1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	15.5" / 39.5 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	4.05 kg / 8.92 Lbs



N-07 WOOD



1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.8 kg / 8.35 Lbs

N-07 BLACK



TRUGLO  
SIGHT EQUIPMENT

ARBOREAL

1000 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.5 kg / 7.7 Lbs

N-01



TRUGLO  
SIGHT EQUIPMENT

800 FPS

4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	800 fps / 16.50 Joules 550 fps / 16.50 Joules 500 fps / 19 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.9 kg / 6.40 Lbs

N-02



800 FPS









4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	800 fps / 16.50 Joules 550 fps / 16.50 Joules 500 fps / 19 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.95 kg / 6.50 Lbs



N-03











1000 FPS

							
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.9 kg / 640 Lbs

N-04











1000 FPS

							
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	1000 fps / 25.50 Joules 700 fps / 28 Joules 650 fps / 33 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	3.35 kg / 740 Lbs

N-05











800 FPS

							
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	800 fps / 16.50 Joules 550 fps / 16.50 Joules 500 fps / 19 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.9 kg / 640 Lbs

N-06




800 FPS

							
4.5 mm .177cal 5.5 mm .22cal 6.35 mm .25cal	17.7" / 45 cm	800 fps / 16.50 Joules 550 fps / 16.50 Joules 500 fps / 19 Joules	Barrel Break Spring / Gas Piston	45.25" / 115 cm	14" / 35.5 cm	Synthetic	2.9 kg / 640 Lbs




MODEL N SERIES ACTION SPRINGS



HAND PUMP MANOMETER



PISTON SEAL



ADJUSTABLE BUTT PAD





PCP AIR RIFLE MANOMETER



FILLING PROBES



PUNCHER SINGLE SHOT MAGAZINE



PUNCHER MODEL MODERATORS



TACTICAL STOCK





**KRAL ARMS HAND PUMP**



**TECHNICAL SPECS**

- Maximum 250 bar Fill Pressure
- Flexible Micro-Bore Hose (Inside a spiral steel cage)
- Comfortable, Ergonomic Handle
- Reduced the Sound Significantly
- Made of Aluminum Alloy and Light in Weight
- Pressure Gauge
- Easily Demountable Design
- Wide Foot Plate With Adjustable Pumping Angle

**FRONT SIGHTS**

01



N-08

02



N-12  
N-13

03



N-07

04



N-11

05



N-02  
N-05

06



N-01  
N-03  
N-04  
N-06

07



N-01 SL

**PLASTIC BAGS**

**Plastic Case 1**



**Plastic Case 2**



**SCUBA FILLING KIT**



## Nevzat SÜTÇÜ

KRAL ARMS FOUNDER



1960-2020



Nevzat SUTCU was born on 01.02.1960 in Uzumlu / Konya / Turkey. While he was a child he was realised with his hardworking and ambitious personality.

He studied primary and high school in his hometown. On that period he was on a good grade on metalworks. He worked in workshops to learn more and more besides his school-life.

After his education he started his long&succesful carrier in a small workshop by Manufacturing shotgun parts. After a while Mr. Sutcu and his six friends set up a company together. When this company was decided to be closed by shareholders –Mr. Sutcu and Mr. Ece was starting a long success journey that was named 'Kral Arms'.

When Mr. Sutcu and Mr. Ece first set up Kral Arms in a 200 metersquare workshop they started producing blank firing pistols – after a few years they moved to new facility , where Kral Arms still takes place. In this 18.000 metersquare facilty , these young guys had a dream to make Kral Arms one of the most well-known brand in the World.

After a quarter of century , Mr. Sutcu and Mr. Ece had leaded of Manufacturing millions of shotguns and air rifles , with more than 100 Cnc machines and hundreds of employees.

Mr.Sutcu, had also first steps such as , production of first pump action shotgun in Turkey , to produce first electrical system over under shotgun in the World and many other important signatures.

One year before his death , Mr. Sutcu and Mr.Ece bought an area of 28.000 metersquare to build a new factory to start production of rifles, pistols and and put their sign on new projects.

On 2020 September 16 we lost him because of Covid..

Mr. Sutcu – You were not only our boss , but you were also our biggest chief,leader and father.

We will make your dream come true.

WE WILL ALWAYS REMEMBER YOU...



**KRAL ARMS**

**“AS WE PROMISED”**

Beysehir / Konya / Turkey

**T:** +90 (332) 524 68 70

**M:** export@kralarms.com

**F:** +90 (332) 524 68 71



/kralarms

[WWW.KRALARMS.COM](http://WWW.KRALARMS.COM)



/kralarmstr